

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4480	Long Cove Ledge Isolated Danger Buoy 2					Black over red with two black spherical topmarks.	
	*					*	15/01
CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
975	- Buoy 16					Red nun.	Maintained from May 1 to Nov. 15.
							* 15/01
985	- Buoy 18 Marks submerged piles.					Red nun.	Maintained from May 1 to Nov. 15.
							* 15/01
987	- Buoy 18A						<i>Remove from list.</i>
							* 15/01
995	- Buoy 20					Red nun.	Maintained from May 1 to Nov. 15.
							* 15/01
1575	Fourteen Foot Bank Light	39 02 54 N 75 11 00 W	Fl (2) W 20s (R sector) 2s fl 2s ec. 2s fl 14s ec.	59	W 15 R 12	White tower and dwelling on black cylindrical pier.	Red from 332°.5 to 151°, covers Brown and Joe Flogger Shoals. HORN: 1 blast ev 30s (3s bl). Maintained from Mar. 15 to Dec. 15.
							* 15/01
7515	- <i>Lighted Bell Buoy 68</i>		Fl R 2.5s		4	Red.	Replaced by nun when endangered by ice. RACON: X(-••-)
							* 15/01
11690	- <i>Channel Lighted Buoy 22</i>	37 06 20 N 76 37 37 W	Fl R 4s		4	Red.	Replaced by nun when endangered by ice.
	*	*		*		*	* 15/01
11880	- Channel Buoy 3					Green can.	
	*					*	15/01
Kiptopeke Beach							
21420	- BREAKWATER SOUTH LIGHT A		Fl Y 4s	14		NY on black skeleton tower.	Private aid.
	*					*	15/01
21425	- BREAKWATER NORTH LIGHT B		Fl Y 4s	14		NY on black skeleton tower.	Private aid.
	*					*	15/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*21427	- BOAT RAMP ENTRANCE LIGHT 1		Q G	15		SG on pile.	Private aid.
							15/01
*21429	- BOAT RAMP ENTRANCE LIGHT 2		FI R 2.5s	15		TR on pile.	Private aid.
							15/01
Turnagain Bay							
33630	- LIGHT 1A	35 00 26 N 76 30 11 W	FI G 4s	15	4	SG on pile.	
	*						15/01
34790	- Buoy 4					Red nun.	
	*	*				*	15/01
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
200 2370	Charleston Entrance Lighted Whistle Buoy C	32 39 19 N 79 40 21 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: K (—•—).
		*					15/01
CHARLESTON ENTRANCE (Chart 11523)							
Charleston Harbor							
2370 200	Charleston Entrance Lighted Whistle Buoy C	32 39 19 N 79 40 21 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: K (—•—).
		*					15/01
*Delete Heading: *Construction Access Channel							
10617	- Daybeacon 2						Remove from list.
							* 15/01
10617.2	- Daybeacon 3						Remove from list.
							* 15/01
10617.4	- Daybeacon 4						Remove from list.
							* 15/01
10617.6	- Daybeacon 5						Remove from list.
							* 15/01
10617.8	- Daybeacon 6						Remove from list.
							* 15/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10618	- Daybeacon 7						Remove from list.
							* 15/01
10618.2	- Daybeacon 9						Remove from list.
							* 15/01
	*Delete Heading: *Pauly's Channel						
12800	Upper Matecumbe Daybeacon 41	24 53 20 N 80 36 15 W				SG on pile.	
		*					15/01
	*Add Heading: *Snook Hole Channel						
*16790.01	- Daybeacon 1	25 52 56 N 81 40 53 W				SG on pile.	Private aid.
							15/01
*16790.02	- Daybeacon 2					TR on pile.	
							15/01
*16790.03	- Daybeacon 3					SG on pile.	Private aid.
							15/01
*16790.04	- Daybeacon 4					TR on pile.	
							15/01
*16790.05	- Daybeacon 5					SG on pile.	Private aid.
							15/01
*16790.06	- Daybeacon 8					TR on pile.	
							15/01
*16790.07	- Daybeacon 9					SG on pile.	Private aid.
							15/01
	New Pass						
17965	- Lighted Buoy 2	26 22 22 N 81 52 31 W	FI R 2.5s			Red.	Private aid.
		*					15/01
	Old Tampa Bay						
23950	- PIPELINE EAST LIGHT	27 52 06 N 82 32 48 W	FI W 4s	14		On dolphin.	Private aid.
		*					15/01
*23950.5	- PIPELINE WEST LIGHT	27 52 14 N 82 33 24 W	Q W	14		On dolphin.	Private aid.
							15/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
45640	- LIGHT 223						<i>Remove from list.</i>
							* 15/01
	*Change Heading to Read: *Anchors Aweigh Marina						
45645	- Daybeacon 1	27 14 00 N 80 12 36 W				SG on pile.	Private aid.
							15/01
	*Add Heading: *Bailey Boat Company						
45650	- Daybeacon 2					TR on pile.	Private aid
							15/01
	*Add Heading: *Indian River (South Section)						
*45705.5	- LIGHT 223		FI G 4s	16	3	SG-SY on dolphin.	
							15/01
50780.5	- Daybeacon 23						<i>Remove from list.</i>
							* 15/01
*50800.5	- Daybeacon 23					SG-SY on pile.	
							15/01
*51715.5	- Daybeacon 78	26 47 42 N 80 41 54 W				TR-TY on pile.	
							15/01
	*Delete Heading: *Lake Okeechobee (Route 2)						
51765	- Daybeacon 78						<i>Remove from list.</i>
							* 15/01
	*Add Heading: *Lake Okeechobee (Route 2)						
51770	- Daybeacon 80					TR-TY on pile.	
							15/01
	Jug Creek Channel						
56385	- Daybeacon 1	26 42 05 N 82 10 56 W				SG on pile.	Private aid.
							* 15/01
*56405.5	- Daybeacon 9					SG on pile.	Private aid.
							15/01
56425	- Daybeacon 13						<i>Remove from list.</i>
							* 15/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*56440.5	- Daybeacon 19					SG on pile.	Private aid. 15/01
56455	- Daybeacon 23						Remove from list. * 15/01
*56475.5	- Daybeacon 31					SG on pile.	Private aid. 15/01
56480	- Daybeacon 32						Remove from list. * 15/01
*56480.5	- Daybeacon 33					SG on pile.	Private aid. 15/01
56485	- Daybeacon 34						Remove from list. * 15/01
56500	- Daybeacon 39						Remove from list. * 15/01
56505	- Daybeacon 41						Remove from list. * 15/01
Gulfport Yacht Basin Channel							
60700	- RANGE FRONT LIGHT	27 44 19 N 81 41 41 W	Iso R 2.5s	15		KRW on pile.	Private aid. 15/01
		*					
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5070	MOBILE MIDDLE GROUND RANGE FRONT LIGHT	30 15 24 N 88 02 30 W	Q G	30		KRW on skeleton tower on piles.	Visible 2° each side of range line. * 15/01
			*	*	*		
6955	- RANGE A FRONT LIGHT	30 17 56 N 88 30 52 W	Q R Q R	27 30	4	KRW on skeleton tower on piles.	Visible all around; higher intensity on range line. * 15/01
		*	*	*	*		
6960	- RANGE A REAR LIGHT 1,023 yards, 354.1° from front light.		Iso R 6s FI W 4s	65 12	6	KRW on skeleton tower on piles.	Visible 2° each side of rangeline. Passing light visible all around. * 15/01
			*	*	*		
7065	- RANGE B FRONT LIGHT	30 16 57 N 88 30 33 W	Q W Q W	25 27	6	KRW on skeleton tower on piles.	Visible all around; higher intensity on range line. * 15/01
		*	*		*		

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7070	- RANGE B REAR LIGHT 1,800 yards, 139.8° from front light.		Oc W 4s FI W 4s	64 12	6	KRW on skeleton tower on piles.	Visible 2° each side of range line. Passing light visible all around.
				*	*		* 15/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2670	Santa Catalina Island West End Light	33 28 43 N 118 36 21 W	FI W 6s	76	10	On post.	Visible from 336° to 266°, partially obscured by hills elsewhere.
						*	15/01
6540	- Channel Lighted Buoy 22	38 03 34 N 121 58 58 W	Q R		3	Red.	
		*					15/01
13875	- LIGHT 37	46 41 43 N 117 29 38 W	FI G 6s	15	4	SG on skeleton tower.	
		*			*		15/01
Mats Mats Bay							
17655	<i>Klas Rocks Isolated Danger</i> <i>Lighted Bell Buoy DK</i>	47 57 43 N 122 40 13 W	FI (2) W 5s		5	Black and red bands with two black spherical topmarks.	
	*	*	*		*	*	15/01
17660	Klas Rocks Buoy 2						<i>Remove from list.</i>
							* 15/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5492	Inner Channel Warning Daybeacon	41 33 00 N 82 49 54 W				NW with orange stripes on pile.	Marks end of channel.
						*	15/01
Cooley Canal							
6005	- BREAKWATER LIGHT 1	41 40 36 N 83 16 59 W	FI G 4s	30 9	4	SG on tower.	
		*					15/01
Pier 75 Detached Breakwater							
<i>Lights maintained from Apr. 1 to Dec. 1.</i>							
6370	- LIGHT A	41 37 35 N 83 32 41 W	Q W	3 1		On southeast corner of detached breakwater.	Private aid.
		*					15/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8245	<i>Belle Isle North Lighted Buoy 113</i>		FI G 4s		4	Green.	Replaced by can from Dec. 21 to Apr. 1.
	*						* 15/01
9500	- South Entrance Buoy 3					Green can.	Private aid.
	*						15/01
LAKE HURON (Chart 14860)							
10010	<i>NOAA Lighted Weather Buoy 45008</i>	44 17 06 N 82 25 12 W	FI (4) Y 20s 1s fl 1.5s ec. 1s fl 1.5s ec. 1s fl 1.5s ec. 1s fl 11.5s ec.			Yellow disc-shaped hull.	Replaced by can from Dec. 1 to Apr. 1.
							* 15/01
10730	- LIGHT 26	43 39 00 N 83 51 00 W	Q R	25 8	7	TR on pile.	
						*	15/01
11308.1	- Bay Condo Marina Buoy 1					Green can.	Maintained from May 1 to Nov. 1. Private aid.
						*	15/01
11308.2	- Bay Condo Marina Buoy 2					Red nun.	Maintained from May 1 to Nov. 1. Private aid.
						*	15/01
20420	- Harbor Entrance Buoy 1						<i>Remove from list.</i>
							* 15/01
20425	- Harbor Entrance Buoy 2						<i>Remove from list.</i>
							* 15/01
20895	- LIGHT 4	44 05 40 N 87 38 53 W	FI R 2.5s	15 5	4	TR on post.	
		*					15/01
21750	Kipling Channel Buoy 9						<i>Remove from list.</i>
							* 15/01
21755	Kipling Channel Buoy 10						<i>Remove from list.</i>
							* 15/01
22185	- RANGE REAR LIGHT 5,500 feet, 213° from front light.		Oc G 4s	88 27		KRW on white cylindrical tower.	
						*	15/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22220	- INNER RANGE REAR LIGHT 2,500 feet, 237.5° from front light.		Iso G 6s	49 15		KRW on white cylindrical tower.	
						*	15/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.